



# Quality Assurance Program

## Participating Products List for:

**Corporate Address:**

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

**Plant Location:**

704 12<sup>th</sup> Avenue  
Smyrna, Tennessee 37167

**Participant Since:**

July 2004

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

**FL 5513:** 5650-Self-Stacking Aluminum Sill for Fin Frame, 5764 / V83-Vertical Flange Tube Aluminum Mullion. Measures 2-1/8" x 1/8", 5764 / V83-Horizontal Flange Tube Aluminum Mullion. Measures 2-1/8" x 1/8", 5765 / H83-Vertical Flange Tube Aluminum Mullion. Measures 3-13/16" x 1/8", 5765 / H83-Horizontal Flange Tube Aluminum Mullion. Measures 3-13/16" x 1/8", 5766 / V43-Vertical Fin Tube Aluminum Mullion. Measures 2" x 1-1/4", 5767 / H43-Horizontal Fin Tube Aluminum Mullion. Measures 4-3/16" x 3/8", CM-16545-Self-Stacking Aluminum Sill for Fin Frame, CM-45026-Self-Stacking Aluminum Sill for Fin Frame, CM-65051-Vertical Fin Tube Aluminum Mullion. Measures 3-11/16" x 1-1/4", CM-65129-Vertical Flange Tube Aluminum Mullion. Measures 2-1/2" x 1/8",

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

#### **FL 5513:** **(Continued)**

CM-65129-Horizontal Flange Tube Aluminum Mullion. Measures 2-1/2" x 1/8", CM-65130-Vertical Fin Tube Aluminum Mullion. Measures 2-1/2" x 1-1/4", CM-65131-Horizontal Fin Tube Aluminum Mullion. Measures 4-7/16" x 3/8", M-1926-Vertical Fin Tube Aluminum Mullion. Measures 2-11/16" x 1-1/8", M-1926-Horizontal Fin Tube Aluminum Mullion. Measures 2-11/16" x 1-1/8", M-1948-Vertical Fin Tube Aluminum Mullion. Measures 3-11/16" x 1-1/4".

#### **FL 6489:**

5764-Horizontal Flange Tube Aluminum Mullion. Measures 2-1/8" x 1/8", 5764 w/o steel reinforcement-Vertical Flange Tube Aluminum Mullion. Measures 2-1/8" x 1/8", 5764 with steel reinforcement-Vertical Flange Tube Aluminum Mullion. Measures 2-1/8" x 1/8",

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

**FL 6489:**  
**(Continued)**

5765-Vertical Flange Tube Aluminum Mullion. Measures 3-13/16" x 1/8", 5765-Horizontal Flange Tube Aluminum Mullion. Measures 3-13/16" x 1/8", CM-18514 w/o steel reinforcement-Vertical Fin Tube Aluminum Mullion. Measures 2-3/16" x 1-1/4", CM-18514 with steel reinforcement-Vertical Fin Tube Aluminum Mullion. Measures 2-3/16" x 1-1/4", CM-18520-Horizontal Fin Tube Aluminum Mullion. Measures 4-3/16" x 1-1/8", CM-18523-Self-Stacking Aluminum Sill for Transom and Specialty Windows - Fin Frame

**FL 7096:**

Series 185/3185 CM-18531-Vertical Flange Tube Aluminum Mullion. Measures 3-1/2" x 1-1/8", Series 185/3185 CM-18532-Horizontal Flange Tube Aluminum Mullion. Measures 4-7/8" x 1-1/8", Series 185/3185 CM-18533-Vertical Fin Tube Aluminum Mullion. Measures 3-5/8" x 1-1/4", Series 185/3185 CM-18534-Horizontal Fin Tube Aluminum Mullion. Measures 5" x 1-1/8"

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

- FL 9917:**
- (A) Cellular Window's M-2246 (Part 1 of 2)-Vertical Fin and Flange Tube Mullion. Measures 5" x 1-7/8"
  - (A) Cellular Window's M-2246 (Part 2 of - Fin and Flange Tube Mullion. Measures 5" x 1-7/8"
  - (B) Cellular Window's M-2246 (Part 1 of 3)-Horizontal Fin and Flange Tube Mullion. Measures 5" x 1-7/8"
  - (B) Cellular Window's M-2246 (Part 2 of 3)-Horizontal Fin and Flange Tube Mullion. Measures 5" x 1-7/8"
  - (B) Cellular Window's M-2246 (Part 3 of 3)-Horizontal Fin and Flange Tube Mullion. Measures 5" x 1-7/8"

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

**FL 11613:** M2246 Mullion-Aluminum structural mullion. For use in horizontal or vertical applications

**FL 11950:** 5650 Mullion-Aluminum structural mullion. For use with 740/3740 series windows. Horizontal orientation only, 5764 Mullion-Aluminum structural mullion. For use with 185/188/3185/3188 windows. Horizontal orientation only, 5764 Mullion-Aluminum structural mullion. for use with 165/185/740/3000/3185/3240/3540/3740/3500HP windows. Horizontal orientation only, 5765 Mullion-Aluminum structural mullion. For use with 165/185/740/3000/3185/3240/3540/3740/3500HP series windows. Horizontal orientation only, 5765 Mullion-Aluminum structural mullion. For use with 185/3185 series windows. Vertical orientation only, 5765 Mullion-Aluminum structural mullion.

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

### **FL 11950:** **(Continued)**

For use with 165/185/740/3000/3185/3240/3500HP/3540/3740 series windows. Vertical Orientation only. 5765 Mullion-Aluminum structural mullion. For use with 185/188/3185/3188 windows. Horizontal orientation only, 5766A Mullion-Aluminum structural mullion. For use with 165/185/740/3000/3185/3740 windows. Vertical orientation only, 5767 Mullion-Aluminum structural mullion. For use with 165/185/740/3000/3185/3740 windows. Horizontal orientation only, CM-18514 Mullion-Aluminum structural mullion. For use with 185/3185 series windows. Vertical orientation only, CM-18520 Mullion-Aluminum structural mullion. For use with 185/3185 windows. Horizontal orientation only, CM-18523 Mullion-Aluminum structural mullion. For use with 185/3185 windows. Horizontal

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

Approved Quality Assurance Program for:

### **FL 11950: (Continued)**

orientation only, CM-18531 Mullion-Aluminum structural mullion. For use in 165/3000/185/3185/188/3188/450/455/650/480/680 series windows. Vertical orientation only, CM-18532 Mullion- Aluminum structural mullion. For use with 165/3000/185/3185/188/3188/450/455/650/480/680/740/3740/3540/3500HP series windows. Horizontal orientation only, CM-18534 Mullion-Aluminum structural mullion for use with 165/3000/185/3185/188/3188/450/455/650/780/680/740/3740/3540/3500HP windows. Horizontal orientation only, CM-45026 Mullion-Aluminum structural mullion. For use with 450/455/650/850 series windows. Horizontal orientation only, CM-65051 Mullion-Aluminum structural mullion. For use with 450/455/650/850 series windows. Vertical orientation only, CM-65129 Mullion-Aluminum structural mullion. For use with

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

**Corporate Address:**

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

**Florida Application List:**

Approved Quality Assurance Program for:

**FL 11950:  
(Continued)**

450/455/650/850 series windows. Vertical orientation only, CM-65129 Mullion-Aluminum structural mullion. For use with 450/455/650/850 windows. Horizontal orientation only, CM-65130 Mullion-Aluminum structural mullion. For use with 450/455/650/850 series windows. Vertical orientation only, M-1926 Mullion- Aluminum structural mullion. For use with 1440/3240/3540/8540/9540/3500HP windows. Horizontal orientation only, M-1948 Mullion-Aluminum structural mullion. For use with 165/740/3000/3740 windows. Vertical orientation only.

**FL 12433:**

5764 Mullion-Aluminum structural mullion. For use with 185/3185 series windows. Vertical orientation only. 5764 Mullion-Aluminum structural mullion. For use with

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

**Corporate Address:**

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

**Florida Application List:**

Approved Quality Assurance Program for:

**FL 12433:  
(Continued)**

165/185/740/3000/3185/3240/3540/3740/3500HP series windows. Vertical orientation only, CM-18533 Mullion-Aluminum structural mullion. For use with 165/3000/185/3185/188/3188/450/455/650/480/680/740/3740/3540/3500HP series windows. Vertical orientation only, CM-65131 Mullion-Aluminum structural mullion. For use with 450/455/650/850 series windows. Horizontal orientation only, M1926 Mullion-Aluminum structural mullion. For use with 1450/3240/3540/8540/9540/3500HP series windows. Vertical orientation only.

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

#### **FL 13402:**

Approved Quality Assurance Program for:

- a. Vertical Mullion-Extruded Aluminum Clipped Vertical (CM-18531) Mullion for use on Masonry or Wood Openings utilizing the Goal Post Style Mounting Bracket or Offset Mounting Bracket (To be used with Flange Mount Windows)
- b. Horizontal Mullion-Extruded Aluminum Clipped Horizontal (5765) Mullion for use on Masonry or Wood Openings utilizing the Goal Post Style Mounting Bracket (To be used with Flange Mount Windows)
- c. Combination Mullion-Combination Vertical (CM-18531) and Horizontal (5765) Mullion for use with Windows and Transoms for use on Masonry or Wood Openings utilizing the Goal Post Style Mounting Bracket or Offset Mounting Bracket (To be used with Flange Mount Windows)

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.



# Quality Assurance Program

## Participating Products List for:

### Corporate Address:

MI Windows and Doors  
650 West Market Street  
Gratz, Pennsylvania 17031

### Florida Application List:

**FL 13402:**  
**(Continued)**

Approved Quality Assurance Program for:

- d. Vertical Mullion-Extruded Aluminum Clipped Vertical (CM-18533) Mullion for use on Masonry or Wood Openings utilizing the Goal Post Style Mounting Bracket or Offset Mounting Bracket (To be used with Fin Mount Windows)
- e. Horizontal Mullion-Extruded Aluminum Clipped Horizontal (CM-18534) Mullion for use on Masonry or Wood Openings utilizing the Goal Post Style Mounting Bracket (To be used with Fin Mount Windows)
- f. Combination Mullion-Combination Vertical (CM-18533) and Horizontal (CM-18534) Mullion for use with Windows and Transoms for use on Masonry or Wood Openings utilizing the Goal Post Style Mounting Bracket or Offset Mounting Bracket (To be used with Flange Mount Windows)

Note: The manufacturer posted on this Quality Assurance Program Listing is a participant in good-standing in the Architectural Testing Third-Party Quality Assurance program, which is approved by the Florida State Department of Community Affairs in conjunction with the Florida State-Wide Product Approval Program. The products listed have been approved by the DCA and are verified by Architectural Testing during unannounced manufacturing site audits. This Quality Assurance Program listing is not an endorsement or approval of the manufacturer or products listed herein.